
SDMS US EPA REGION V -1

SOME IMAGES WITHIN THIS DOCUMENT MAY BE ILLEGIBLE DUE TO BAD SOURCE DOCUMENTS.






HAZARDOUS SITE CONTROL DIVISION

Remedial Planning/ Field Investigation Team (REM/FIT)

ZONE II

CONTRACT NO. 68-01-6692

CH2M#HILL Ecology& Environment



TDD R5-8302-5

DATE: DECEMBER 16, 1983

PREPARED BY: RON ST. JOHN
SUBMITTED TO: MIKE O'TOOLE

158361

SOIL SAMPLE RESULTS FOR CHEMICAL CONTAMINATION BELOW SAUGET/SAUGET LANDFILL IN SAUGET, ILLINOIS

TABLE OF CONTENTS

	<u>Page</u>
INTRODUCTION	. 1
Problem	1
Purpose	1
Site History	1
Method of Study and Field Work	. 3
Previous Studies	5
Acknowledgements	. 6
SITE DESCRIPTION	7
Location and Physiography	7
Climate	7
GEOLOGY	8
Site Geology	8
Landfill Specifics	9
CHEMICAL ANALYSES OF SOILS	10
DISCUSSION	30
REFERENCES	31
APPENDIX I - Boring Logs	32
APPENDIX II - Magnetometer	69

LIST OF FIGURES	Page
FIGURE 1 - GENERAL SITE MAP	2
LIST OF TABLES	
TABLE 1 - THE 112 PRIORITY POLLUTANTS AND THEIR LOW LEVEL DETECTION LIMITS, MEDIUM LEVEL DETECTION LIMITS FOR VOLATILES ALSO GIVEN, ALL IN PPB	11
TABLE 2 - ORGANIC ANALYSES OF SOILS BELOW SAUGET/ SAUGET/LANDFILL, IN PPB	14
LIST OF PLATES	
DISTRIBUTION MAP OF MAGNETIC ANOMALIES OVER LANDFILL	Back Pocket

•

INTRODUCTION

Problem

In the spring of 1980, workers unearthed buried drums and noxious odors while constructing a railway spur across a former municipal landfill called Sauget/Sauget Landfill (S/SL) in Sauget, Illinois. Since noxious odors and labels on the uncovered drums indicated that the substances might be toxic, environmental officials at both the state and federal levels were notified. It was determined that further investigation should be conducted to determine just how serious a problem actually existed. At this point, Ecology and Environment, Inc.'s (E&E) Field Investigative Team (FIT) was assigned the responsibility of assessing and performing any work that would define the level of contamination emanating from past disposal at S/SL.

Purpose

The objective of FIT work at S/SL was to safely and accurately perform a drilling and sampling program of soils below the landfill for the determination of chemical contamination. This included the use of remote sensing techniques to first locate areas where buried drums might exist.

<u>History</u>

The portion of S/SL, which this investigation is concerned with, operated from 1959 (its beginning) to approximately 1966, Figure 1. During this period, Paul Sauget of Sauget and Company (a Delaware corporation) operated it as a municipal landfill. Simultaneously and directly adjacent to S/SL he operated the W. G. Kummerich, Sauget/Toxic Landfill. Sauget/Toxic Landfill was used for disposal of processing waste from Monsanto Company of Sauget, Illinois.




FIGURE 1. General Site Map

Site inspection reports from health officials during this period indicated about a lack of daily cover, open burning, and disposal of drumed waste at S/SL. Reportedly, the landfill, during operation and since, has been inundated many times by flood waters of the Mississippi River. The flood height on-site has been enhanced by the flood control levee which borders S/SL on the east side.

Since S/SL ceased operation, approximately four to five feet of fly ash cinders has been spread over the landfill as cover. These cinders are coarse grain in nature and therefore unsuitable as cover material.

Method of Study and Field Work

The objective of the study was to obtain soil samples below the landfill for chemical analyses. Therefore, to insure the safety of drilling and sampling personnel, it was necessary to identify portions of the landfill that might contain buried drums. Remote sensing techniques (magnetometer, ground penetrating radar (GPR), electromagnetic conductivity (EMC), etc.) were decided to be the only feasible methods. Remote sensing on the landfill would also present its own unique problems. The landfill has three sets of high voltage power lines, two railroad lines, and portions of a chain-link fence which would all affect the readings from the delicate instrumentation. It was concluded that a specialist with instrumentation and interpretation skills sophisticated enough to overcome these obstacles be subcontracted.

The subcontractor chosen was TECHNOS, Inc. of Miami, Florida. Besides having the lowest bid, TECHNOS was also the only contractor to offer the use of a continuous output gradiometer magnetometer (see Appendix 2).

Assisted by E&E's personnel, TECHNOS performed all on-site work in modified level C safety, utilizing air powered purifying respirators to protect against inhalation of contaminated particulate matter.

The TECHNOS approach included two phases. In Phase I, three techniques, GPR, EMC, and magnetics, were evaluated on-site to determine the best method for locating drums. Phase II was conducted using a gradiometer magnetometer (which proved to be the best of the three geophysical methods tested in Phase I) along 33 parallel traverse lines spaced at 12.5 foot intervals across the site with readings every 12.5 feet thus, forming a grid and providing approximate total site coverage. A drawing of the site (to scale) with grid and gradiometer magnetometer results superimposed on it appear in TECHNOS Figure 7 (included in back plate pocket). The following significant information was derived from this survey:

- 1. Magnetic anomalies (intensity level 1, TECHNOS Figure 7) were recorded over most of the landfill which probably indicate the limits of landfilling.
- 2. Magnetic anomalies with greater intensity (levels 2 and 3, TECHNOS Figure 7) were located in several areas in the north-central and western portions of the site. These areas are delineated in TECHNOS Figure 7 and indicate burial areas of relatively large concentrations of steel/iron materials such as drums or car bodies.
- 3. The delineated magnetic variations may be caused by drum-like masses occurring at depths of 2 to 25 feet. If drums, these individual masses could represent 1 drum at a depth of 2 feet to as many as 50 drums to depths as 25 feet (over a surface of about 25 feet in diameter).

The information provided in the TECHNOS report allowed FIT to develop a drilling/sampling program on the grid while performing it in the safest manner possible. Every attempt to place borings equidistant to one another on the grid was made. However, the location of buried drums and an area of large cinder piles north of the 500 grid line prevented this. Borings here were placed in the only locations possible. Borings south of the 900 grid line were located on an equidistant pattern. The sampling program consisted of drilling 18 holes through the landfill in order to take 35 soil samples below it. Two split spoon samples of soil at different depths were taken below the bottom of the landfill and above the top of the water table with the exception of B16. The first soils encountered below the landfill in B16 were also found to be below the water table; therefore, the second soil sample was not collected.

Prior to any drilling at S/SL, all drilling equipment including tools and rig were steam cleaned under the supervision of E&E's personnel. Between borings, all tools, augers, racks, split spoons etc., were steam cleaned to prevent cross contamination. Between samples in each boring the split spoons were decontaminated by first washing them with tap water, secondly rinsing with acetone, and finally rinsing with distilled water.

All drilling and soil sampling at S/SL were done in modified level A safety. This entailed wearing Tyvec moon suits with clear bubble head gear and attached "life line" air lines.

Previous Studies

To date, the only site specific study of S/SL has been a thermal infrared survey done by Environmental Monitoring Systems Laboratory (Shelton, aerial 1982). The W. G. Krummrich AKA Sauget Toxic Landfill which borders Sauget/Sauget Landfill on the west side has been the subject of numerous studies including a hydrogeologic study by D'Appolonia.

Acknowledgements

Thanks are extended to Riverport Terminal and Fleeting Company and the Pilsbury Company for their cooperation in granting access to property. Thanks are also extended to TECHNOS, Inc. and Canonnie Construction for their effort in the field under high level safety conditions.

SITE DESCRIPTION

Location and Physiography

Sauget/Sauget Landfill is located in the town of Sauget in St. Clair County, Illinois. It is approximately 200 yards from the Mississippi River and lies on the flood plain known as the American Bottoms.

The area covered by this report is that portion of S/SL which is bordered on the east by the Mississippi River flood levee, the west by the Sauget/Toxic Dump fence, on the south by the end of that fence, and on the north by the site security fence.

Climate

The site is located in the northern temperate zone which is characterized by warm summers and moderately cold winters. The average annual precipitation in the area is about 38 inches (ISWS, 1965). Due to the coarse cover material and lack of vegetation or any drainage development on S/SL, it must be assumed that at least 80% of the yearly precipitation infiltrates the landfill surface. Therefore, approximately 30 inches of precipitation infiltrate S/SL each year to recharge the Henry Formation water table aquifer.

GEOLOGY

S/SL is situated on the Mississippi River flood plain on thick valley fill deposits (100'+). The valley fill is comprised of two formations, one which is a thin mantle called the Cahokia Alluvium. Derived from the erosion of till and loess, the alluvium consists of unconsolidated, poorly sorted, silt, with some local sand and clay lenses. It appears to have accumulated in valleys during flood intervals after the Wisconsinan glaciers had retreated.

The Cahokia Alluvium formation unconformably overlies the Mackinaw Member of the Henry Formation. The Henry Formation is Wisconsinan glacial outwash in the form of valley train deposits. It accounts for the majority of the valley fill and is composed of sand and gravel that coarsens with depth. Due to the thickness and water capacity of this formation, it is a major aquifer for the East St. Louis area.

Mississippi limestone underlies the valley fill deposits at a depth of approximately 120 feet (Bergstrom, 1956).

Site Geology

All of the 18 borings (Appendix I) through S/SL encountered and sampled the Cahokia Alluvium formation and none encountered any of the Henry formation sands. Locations of the 18 borings appear on TECHNOS Figure 1. Permeability values for the Cahokia Alluvium from a study on nearby Dead Creek (St. John, 1981) are on the order of approximately 7×10^{-6} cm/sec.

The surface grade of the landfill is relatively flat. The Henry Formation water table aquifer was encountered in boring 16 at a depth of 22 feet. Groundwater was also encountered in boring 1 at 17 feet but probably was perched on top of a clayey lens in the Cahokia Alluvium.

Landfill Specifics

In general, S/SL is relatively flat and has approximately a four foot cover of coarse fly ash over its entirety. The refuse thickness gradually increases from three feet in the north portion to eighteen feet in the south. Observations during drilling indicate that only in one location (B16) was the water table high enough to be encountered while drilling.

CHEMICAL ANALYSES OF SOILS

The 35 soil samples collected below S/SL were tested for 112 organic priority pollutants designated by the United States Environmental Protection Agency (U.S. EPA), a special analysis for 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD), and selected non-priority pollutant hazardous substances. A list of compounds tested for and their detection limits appears in Table 1. Laboratory analyses of the 35 soil samples collected below S/SL appear in Table 2.

A survey of the soil analyses show high concentrations (over 1,000 ppb or 1.0 ppm) of organic contaminants including highs of 480 ppm of 2,4,6-trichlorophenol (B8A), 360 ppm of 2-chlorophenol (B4B), 3,100 ppm of 2,4-dichlorophenol (B1B), 72.0 ppm of 2,4-dimethylphenol (B4B), 100 ppm of pentachlorophenol (B4B), 250 ppm of phenol (B5B), 1.4 ppm of 2-methylphenol (B6A), 330 ppm of 4-methylphenol (B4B), 2.8 ppm of acenaphthene (B2B), 13,000 ppm of 1,2,4-trichlorobenzene (B14A), 620 ppm of 1,2-dichlorobenzene (B14A), 1,200 ppm of 1,4-dichlorobenzene (B14A), 1.2 ppm of fluoranthene (B2B), 17.0 ppm of isophorone (Bl1A), 380 ppm of naphthalene (B8A), 56.0 ppm of nitrobenzene (B4B), 1,100 ppm of bis(2-ethylhexyl)phthalate (B14A), 900 ppm of di-n-butyl phthalate (B14A), 23 ppm of di-n-octyl phthalate (B11A), 1.3 ppm of benzo(b)fluoranthene (B13A), 1.3 ppm of benzo(k)fluoranthene (B13A), 6.4 ppm of chrysene (B11A), 2.0 ppm of fluorene (B2B), 5.2 ppm of phenanthrene (B11A), 5.6 ppm of pyrene (B11A), 51.0 ppm of aniline (B17B), 9.6 ppm of 4-chloranile (B16A), 3.0 ppm of dibenzofuran (B2B), 10.0 ppm of 2-methylnaphthalene (B11A), 4.6 ppm of 3-nitroaniline (B2A), 44.0 ppm of benzene (B14A), 100 ppm of chlorobenzene (B6A), 12.0 ppm of 1,2-dichloroethane (B6A), 19.0 ppm of 1,1-dichloroethane (B14A), 5.7 ppm of 1,1,2,2,-tetrachloroethane (B14A), 11.0 ppm of 1,2,-trans-dichloroethene (B14A), 790 ppm of ethylbenzene (B14A), 5.8 ppm of methylene chloride, 12.0 ppm of tetrachloroethene (B14A), 2,400 ppm of toluene (B14A), 55.0 ppm of trichloroethene (B14A), 14.0 ppm at acctone (B9B), 250 ppm of 4-methyl-2-pentanone (B14A), 64.0 ppm of styrene (B14B), 2,300 ppm of xylene (B14A), 170 ppm of PCB-1242 (B5A), 360 ppm of PCB-1254 (B5A), 70.0 ppm of PCB-1248 (B11B), 16,000 ppm of PCB-1260 (B14B), 46.0 ppm of PCB-1016 (B7B) and 66.0 ppm of total PCB (B5B).

TABLE 1 - THE 112 PRIORITY POLLUTANTS AND THEIR LOW LEVEL DETECTION LIMITS, MEDIUM LEVEL DETECTION LIMITS FOR VOLATILES ALSO GIVEN, ALL IN PBB.

ACID COMPOUNDS	BASE/NEUTRAL COMPOUNDS	
2,4,6-trichlorophenol 10	bis-(2-chlorolsopropyl)ether	20
p-chloro-m-cresol 20	bis-(2-chloroethoxy)methane	20
2-chlorophenol 10	hexachlorobutadlene	10
2,4-dichlorophenol 10	hexachlorocyclopentadlene	10
2,4-dimethylphenol 10	isophorone	10
2-nitrophenol 20	naphthalene	10
4-nitrophenol 100	nitrobenzene	10
2,4-dinitrophenol 50 4,6-dinitro-2-methylphenol 20	N-nitrosodiphenylamine	10
4,6-dinitro-2-methylphenol 20	N-nitrosodi-n-propylamine	20
pentachlorophenol 20	bis(2-ethylhexyl)phthalate	10
phenol 10	butyl benzyl phthalate	10
	di-n-butyl phthalate	10
	di-n-octyl phthalate	10
(Non-Priority Pollutant Hazardous Substances)	diethyl phthalate	10
	dimethyl phthalate	10
	benzo(a)anthracene	10
benzoic acid 100	benzo(a)pyrene	20
2-methylphenol 10	benzo(b)fluoranthene	20
4-methylphenol 10	benzo(k)fluoranthene	20
2,4,5-trichlorophenol 100	chrysene	10
DACE NEUTRAL COMPOUNDS	acenaphthylene	10
BASE-NEUTRAL COMPOUNDS	anthracene	10
10	benzo(ghl)perylene	20
acenaphthene 10	fluorene	10
benzidine 40	phenanthrene	10
1,2,4-trichlorobenzene 10 hexachlorobenzene 10	dibenzo(a,h)anthracene	20
hexachlorobenzene 10 hexachloroethane 10	indeno(1,2,3-cd)pyrene	20 10
	pyrene	10
bis(2-chloroethyl)ether 10 2-chloronaphthalene 10		
1,2-dichlorobenzene 10		
1,3-dichlorobenzene 10	(Non-Priority Pollutant Hazardous	Substances)
1,4-dichlorobenzene 10	(non-111011ty 1011dtallt liazardous	Jubs cances)
3,3'-dichlorobenzidine 20	aniline	10
2,4-dinitrotoluene 20	benzyl alcohol	20
2,6-dinitrotoluene 20	4-chloroaniline	50
1,2-diphenylhydrazine	dibenzofuran	10
as azobenzene) 20	2-methylnaphthalene	20
fluoranthene 10	2-nitroaniline	100
4-chlorophenyl phenylether 10	3-nitroaniline	100
4-bromophenyl phenyl ether 10	4-nitroaniline	100
· · · · · · · · · · · · · · · · · · ·		

VOLATILES med i um low acrolein 50 100 50 100 acrylonitrile 2.5 5 benzene 2.5 5 carbon tetrachloride <u>555555</u> chlorobenzene 2.5 1,2-dichloroethane 2.5 1,1,1-trichloroethane 2.5 1.1-dichloroethane 2.5 1,1,2-trichloroethane 1,1,2,2-tetrachoroethane 2.5 2.5 chloroethane 2.5 5 5 5 5 2-chloroethylvinyl ether 2.5 2.5 chloroform 1,1-dichloroethene 2.5 1,2-trans-dichloroethene 2.5 5 2.5 1,2-dichloropropane trans-1,3-dichloropropene cis,1,3-dichloropropene 5 2.5 <u>10</u> 5 ethylbenzene 2.5 55555555 methylene chloride 2.5 2.5 chloromethane bromomethane 2.5 2.5 bromoform bromodichloromethane 2.5 2.5 fluorotrichloromethane chlorodibromomethane 2.5 <u>5</u> <u>5</u> 5 tetrachloroethene 2.5 toluene 2.5 trichloroethene 2.5 vinyl chloride 2.5

(Non-Priority Pollutant Hazardous Substances)

acetone	50	100
2-butanone	100	200
carbondisulfide	5	10
2-hexanone	50	100
4-methyl-2-pentanone	50	100
styrene	2.5	5
vinyl acetate	5	10
o-xylene	2.5	5

PESTICIDES

aldrin	4.0
dieldrin	4.0
chlordane	4.0
4,4'-DDT	4.0
4,4'-DDE	4.0
4,4'-DDD	4.0
endosulfan I \Rightarrow	4.0
endosulfan II	4.0
endosulfan sulfate	4.0
endrin	4.0
endrin aldehyde	4.0
heptachlor	4.0
heptachlor epoxide	4.0
BHC-Alpha	4.0
BHC-Beta	4.0
BHC-Delta	4.0
BHC-Gamma	4.0
PCB-1242	4.0
PCB-1254	4.0
PCB-1221	4.0
PCB-1232	4.0
PCB-1248	4.0
PCB-1260	4.0
PCB-1016	4.0
toxaphene	4.0

DIOXINS

ug/kg

2,3,7,8-tetrachlorodibenzop-dioxin 0.16

	BORING/SAMPLE NUMBER Depth (in feet)							
	B1A 10.0-11.5	81B 17.5-19.0	B2A 13.5-15.5	828 17.0-19.0	B3A 10.0-12.0	838 13.5-15.5	84A 10.0-12.0	848 13.5-15.5
2,3,7,8-TCDD 2,4,6-trichlorophenol 2-chlorophenol 2,4-dichlorophenol 2,4-dimethylphenol	2,500 24,000 66,000	170,000 65,000 3,100,000	22,000 800 31,000 500	520 1700	1400 1500 760	1500 LT 4500	57,000	3.31 94,000 360,000 370,000 72,000
4,6-dinitro-2-methylphenol pentachlorophenol phenol	24,000	86,000 55,000	5400 45,000	LT 4400	3200	11,000 100,000	98,000	100,000 88,000
2-methylphenol 4-methylphenol 2,4,5-trichlorophenol			LT	LT	560	LT	,	330,000
acenaphthene 1,2,4-trichlorobenzene 1,2-dichlorobenzene 1,4-dichlorobenzene	LT		1200 LT 1800	2800 480 720	LT	LT 760	LT LT	100,000 20,000 66,000
fluoranthene isophorone naphthalene nitrobenzene N-nitrosodiphenylamine		8800	11,000 400	1200 8300				LT 56,000
ois(2-ethylhexyl)phthalate outyl benzyl phthalate				LT			•	62,000

^{&#}x27;Blank = Not detected

LT = Present, but lower than the detection limit for low hazard analyses.

LM = Present, but lower than the detection limit for medium hazard analyses.

P = The sample could not be cleaned up sufficiently to yield TCDO results.

NA = Not analyzed, sample could not be cleaned up sufficiently.

	BORING/SAMPLE NUMBER Depth (in feet)								
	81A 10.0-11.5	818 17.5-19.0	B2A 13.5-15.5	828 17.0-19.0	83A 10.0-12.0	838 13.5-15.5	84A 10.0-12.0	848 13.5-15.5	
di-n-butyl phthalate di-n-octyl phthalate diethyl phthalate benzo(a)anthracene benzo(a)pyrene benzo(b)fluoranthene benzo(k)fluoranthene	LT							LY	
chrysene anthracene benzo(ghi)perylene fluorene phenanthrene dibenzo(a,h)anthracene indeno(1,2,3-cd)pyrene			600 1000	400 2000 2700				LT	
pyrene aniline 4-chloroaniline dibenzofuran 2-methylnaphthalene 3-nitroaniline benzene			LT 1000 2000 4600	3000 2300				LY	

LJ = Present, but lower than the detection limit for low hazard analyses.

LM = Present, but lower than the detection limit for medium hazard analyses.

P = The sample could not be cleaned up sufficiently to yield TCDD results.

RA = Not analyzed, sample could not be cleaned up sufficiently.

		BORING/SAMPLE NUMBER Depth (in feet)								
	81A 10.0-11.5	818 17.5-19.0	82A 13.5-15.5	B2B 17.0-19.0	B3A 10.0-12.0	B38 13.5-15.5	B4A 10.0-12.0	848 13.5-15.5		
chlorobenzene 1,2-dichloroethane 1,1-dichloroethane 1,1,2,2-tetrachloroethane 1,2-trans-dichloroethene ethylbenzene							10,000	40,000		
methylene chloride	l i		7.4	3.7	LM	8.0				
tetrachloroethene toluene trichloroethene acetone 2-butanone			960			977		LH		
4-methyl-2-pentanone styrene						LT				
o-xylene PCB-1242 PCB-1254				2.0				5100		
PCB-1248 PCB-1260 PCB-1016	1000		485.2 2120.6		69.6					
Total PCB							68,000	1,000,000		

LT = Present, but lower than the detection limit for low hazard analyses.

LM = Present, but lower than the detection limit for medium hazard analyses.

P = The sample could not be cleaned up sufficiently to yield TCDD results.

NA = Not analyzed, sample could not be cleaned up sufficiently.

		BORING/SAMPLE NUMBER Depth (in feet)						
	85A 13.5-15.5	858 17.0-19.0	B6A 10.0-12.0	86B 13.5-15.5	B7A 10.0-12.0	878 13.5-15.5	B8A 13.5-15.5	888 17.5-19.5
2,3,7,8-TCDO 2,4,6-trichlorophenol 2-chlorophenol 2,4-dichlorophenol 2,4-dimethylphenol	130,000 31,000 560,000	26,000 8400 260,000	2700 1600 17,000 2000	4800 1600 15,000	2700 LT 6100		480,000 1,500,000	0.11 10,000 64,000
4,6-dinitro-2-methylphenol pentachlorophenol phenol	140,000	250,000	45,000	16,000 11,000	25,000 1800	31,000		
Z-methylphenol 4-methylphenol 2,4,5-trichlorophenol acenaphthene		36,000	1400 7000	600 1400				٠
1,2,4-trichlorobenzene 1,2-dichlorobenzene 1,4-dichlorobenzene	86,000 100,000	13,000 28,000	LT 3100	800			120,000 180,000	
fluoranthene isophorone naphthalene nitrobenzene N-nitrosodiphenylamine bis(2-ethylhexyl)phthalate butyl benzyl phthalate	27,000	LT 11,000	800 LT	LT			380,000 52,000	LT

LT = Present, but lower than the detection limit for low hazard analyses.

LM = Present, but lower than the detection limit for medium hazard analyses.

P = The sample could not be cleaned up sufficiently to yield TCOD results.

MA = Not analyzed, sample could not be cleaned up sufficiently.

		BORING/SAMPLE NUMBER Depth (in feet)							
	85A 13.5-15.5	858 17.5-19.0	B6A 10.0-12.5	868 13.5-15.5	B7A 10.0-12.0	87B 13.5-15.5	88A 13.5-15.5	888 17.5-19.5	
di-n-butyl phthalate di-n-octyl phthalate diethyl phthalate benzo(a)anthracene benzo(a)pyrene benzo(b)fluoranthene			400	LT		LT LT			
benzo(k)fluoranthene Chrysene anthracene						LT	•		
benzo(ghi)perylene fluorene phenanthrene dibenzo(a,h)anthracene indeno(1,2,3-cd)pyrene									
pyrene aniline 4-chloroaniline dibenzofuran			9000						
2-methylnaphthalene 3-nitroaniline benzene						3.2	LN		

LT = Present, but lower than the detection limit for low hazard analyses.

LM = Present, but lower than the detection limit for medium hazard analyses.

P = The sample could not be cleaned up sufficiently to yield TCDD results.

NA = Not analyzed, sample could not be cleaned up sufficiently.

		BORING/SAMPLE NUMBER Depth (in feet)							
	85A 13.5-15.5	858 17.0-19.0	B6A 10.0-12.0	868 13.5-15.5	B7A 10.0-12.0	B7B 13.5-15.5	B8A 13.5-15.5	888 17.5-19.5	
chlorobenzene 1,2-dichloroethane 1,1-dichloroethane 1,1,2,2-tetrachloroethane	18,000	27,000	100,000 12,000	8.4 3.4		4.2	7100		
1,2-trans-dichloroethene ethylbenzene methylene chloride			46,000	3.8 15.0	86.0	4.5 45.0	LT		
tetrachloroethene toluene trichloroethene			50,000	LT		6.1 LT			
acetone 2-butanone				330	200	2600	·		
4-methyl-2-pentanone styrene				LT	LT	LT			
0-xylene PCB-1242 PCB-1254	170,000 360,000		140,000	13.0	LT	22.0	1700	2700	
PCB-1248 PCB-1260 PCB-1016				4700	590 2 300	13,000 46,000	890	1500	
Total PCB		66,000							

LT = Present, but lower than the detection limit for low hazard analyses.

LM = Present, but lower than the detection limit for medium hazard analyses.

P = The sample could not be cleaned up sufficiently to yield TCDD results.

MA = Not analyzed, sample could not be cleaned up sufficiently.

		BORING/SAMPLE NUMBER Depth (in feet)							
	89A 15.0-17.0	898 17.0-19.0	BIOA 17.0-19.0	B10B 19.0-21.0	B11A 17.0-19.0	B11B 19.0-21.0	B12A 17.0-19.0	B12B 19.0-21.	
2,3,7,8-TCDD 2,4,6-trichlorophenol 2-chlorophenol 2,4-dichlorophenol 2,4-dimethylphenol	LT 640 7400	600 1100 9800 LT	48,000 1700 170,000	640 LT 9600	3200	20,000	4400 1200 8800	9400 520 4200	
4,6-dinitro-2-methylphenol pentachlorophenol phenol	7500	4800 14,000	32,000	2200 11,000	6200	37,000	24,000 17,000	920 7500	
Z-methylphenol I-methylphenol 2,4,5-trichlorophenol	1400	2300	2700				1000	720	
acenaphthene 1,2,4-trichlorobenzene 1,2-dichlorobenzene 1,4-dichlorobenzene		LT	11,000 11,000 27,000		LT LT		520	3600 800 1000	
luoranthene sophorone aphthalene itrobenzene			6500		17,000 72,000	LT 35,000	LT	720 640	
itropenzene i-nitrosodiphenylamine is(2-ethylhexyl)phthalate utyl benzyl phthalate	440				52,000 LT	34,000	LT 440		

LT = Present, but lower than the detection limit for low hazard analyses.

LM = Present, but lower than the detection limit for medium hazard analyses.

P = The sample could not be cleaned up sufficiently to yield TCDD results.

NA = Not analyzed, sample could not be cleaned up sufficiently.

	BORING/SAMPLE NUMBER Depth (in feet)									
	B9A 15.0-17.0	898 17.0-19.0	810A 17.0-19.0	8108 19.0-21.0	B11A 17.0-19.0	B11B 19.0-21.0	B12A 17.0-19.0	B12B 19.0-21.0		
di-n-butyl phthalate di-n-octyl phthalate diethyl phthalate benzo(a)anthracene benzo(a)pyrene benzo(b)fluoranthene	LT	1500 840	Ļ1		23,000	ĻŢ		1000		
benzo(k)fluoranthene chrysene					6400			1000		
anthracene benzo(ghi)perylene fluorene phenanthrene dibenzo(a,h)anthracene indeno(1,2,3-cd)pyrene					5200					
Pyrene aniline 4-chloroaniline dibenzofuran					5600			LT		
2-methylnaphthalene 3-nitroaniline benzene			LH		10,000		·			

LT = Present, but lower than the detection limit for low hazard analyses.

LM = Present, but lower than the detection limit for medium hazard analyses.

P = The sample could not be cleaned up sufficiently to yield TCDO results.

NA = Not analyzed, sample could not be cleaned up sufficiently.

	BORING/SAMPLE NUMBER Depth (in feet)									
	B9A 15.0-17.0	898 17.0-19.0	B10A 15.0-17.0	B108 17.0-19.0	B11A 15.0-17.0	B11B 17.0-19.0	812A 15.0-17.0	8128 17.0-19.0		
chlorobenzene 1,2-dichloroethane 1,1-dichloroethane 1,1,2,2-tetrachloroethane			5200		UK			**************************************		
1,2-trans-dichloroethene ethylbenzene methylene chloride	3.3	300	6500 8700	LT	220,000		LT			
tetrachloroethene toluene trichloroethene acetone	210	14,000	130,000	4400	1,300,000 42,000	100,000		LM		
2-butanone 4-methyl-2-pentanone styrene							LT			
o-xylene PCB-1242 PCB-1254	600		30,000 NA NA		650,000	70,000		PCI		
PCB-1248 PCB-1260 PCB-1016	1500	1300	NA NA NA	120 78.0	38,000 45,000	70,000 681,000	7000 2200	5000 3900		

Blank = Not detected.

LT = Present, but lower than the detection limit for low hazard analyses.

LM = Present, but lower than the detection limit for medium hazard analyses.

P = The sample could not be cleaned up sufficiently to yield TCDO results.

NA = Not analyzed, sample could not be cleaned up sufficiently.

	BORING/SAMPLE NUMBER Depth (in feet)									
	B13A 17.0-19.0	8138 19.0-21.0	814A 17.0-19.0	814B 19.0-21.0	B15A 22.0-24.0	8158 24.0-26.0	B16A 22.0-24.0	B17A 22.0-24.0		
2,3,7,8-TCDD 2,4,6-trichlorophenol 2-chlorophenol 2,4-dichlorophenol 2,4-dimethylphenol	20,000 2500 9400 LT	4600 3800 11,000 LT	460,000	P	800 600	1900 1600 11,000	7700 4600 27,000 680	6400 100,000 120,000		
4,6-dinitro-2-methylphenol pentachlorophenol phenol	12,000 8900	44,000 15,000		16,000	4200 6000	12,000 13,000	39,000 16,000	26,000 50,000		
2-methylphenol 4-methylphenol 2,4,5-trichlorophenol acenaphthene	920	1400		16,000		1000	1900 LT	9200		
1,2,4-trichlorobenzene 1,2-dichlorobenzene 1,4-dichlorobenzene	2400 1300	3000 2000	13,000,000 620,000 1,200,000	2,000,000 55,000 100,000		1600	LT 4100			
Tluoranthene Isophorone naphthalene	2000	LT	210,000	14,000 20,000		720	2000			
nitrobenzene N-nitrosodiphenylamine bis(2-ethylhexyl)phthalate butyl benzyl phthalate		400	1,100,000	220,000 LT		LT	•	4600		

LT'= Present, but lower than the detection limit for low hazard analyses.

LM = Present, but lower than the detection limit for medium hazard analyses.

P = The sample could not be cleaned up sufficiently to yield TCDO results.

NA = Not analyzed, sample could not be cleaned up sufficiently.

		BORING/SAMPLE NUMBER Depth (in feet)									
	B13A 17.0-19.0	8138 19.0-21.0	B14A 17.0-19.0	814B 19.0-21.0	B15A 22.0-24.0	B15B 24.0-26.0	B16A 22.0-24.0	B17B 22.0-24.0			
di-n-butyl phthalate di-n-octyl phthalate diethyl phthalate benzo(a)anthracene benzo(a)pyrene benzo(b)fluoranthene benzo(k)fluoranthene	LT 1300* 1300*	LT	900,000	49,000	Lī	3900 LT					
chrysene anthracene benzo(ghi)perylene fluorene phenanthrene dibenzo(a,h)anthracene indeno(1,2,3-cd)pyrene	880 LT LT										
pyrene aniline 4-chloroaniline dibenzofuran 2-methylnaphthalene 3-nitroaniline benzene	LT	2200	44,000	LT			680 9600				

LT = Present, but lower than the detection limit for low hazard analyses.

LM'= Present, but lower than the detection limit for medium hazard analyses.

P = The sample could not be cleaned up sufficiently to yield TCDD results.

NA = Not analyzed, sample could not be cleaned up sufficiently.

	BORING/SAMPLE NUMBER Depth (in feet)										
	B13A 17.0-19.0	B138 19.0-21.0	814A 17.0-19.0	8148 19.0-21.0	815A 22.0-24.0	B15B 24.0-26.0	B16A 22.0-24.0	1317A 22.0-24.0			
chlorobenzene 1,2-dichloroethane 1,1-dichloroethane 1,1,2,2-tetrachloroethane 1,2-trans-dichloroethene ethylbenzene methylene chloride	50.0	13.0	63,000 19,000 5700 11,000 790,000 5800	330,000	2.5	LT 23.0		Ш			
tetrachloroethene toluene trichloroethene acetone 2-butanone 4-methyl-2-pentanone styrene	90.0	430 LT	12,000 2,400,000 55,000 LM 250,000	540,000 64,000	540 LT 4.2	1400					
o-xylene PCB-1242 PCB-1254 PCB-1248 PCB-1260 PCB-1016 Total PCB	770	1300	2,300,000	1,400,000	190 210	5000 1000	370	68.0			

LT = Present, but lower than the detection limit for low hazard analyses.

LM = Present, but lower than the detection limit for medium hazard analyses.

P = The sample could not be cleaned up sufficiently to yield TCDD results.

NA = Not analyzed, sample could not be cleaned up sufficiently.

	BORING/SAMPLE NUMBER Depth (in feet)									
	8178 24.0-26.0	B18A 22.0-24.0	B188 24.0-26.0	Blank 1	Blank 2	Spike @1.0 ppb	Spike #1.0 ppb			
2,3,7,8-7CDD 2,4,6-trichlorophenol 2-chlorophenol 2,4-dichlorophenol 2,4-dimethylphenol 4,6-dinitro-2-methylphenol pentachlorophenol phenol	3800					0.37	0.91			
2-methylphenol 4-methylphenol 2,4,5-trichlorophenol acenaphthene 1,2,4-trichlorobenzene 1,2-dichlorobenzene 1,4-dichlorobenzene	550		LT							
fluoranthene isophorone naphthalene nitrobenzene					1000					
N-nitrosodiphenylamine bis(2-ethylhexyl)phthalate butyl benzyl phthalate	580	910	1400	LT	·		•			

LT = Present, but lower than the detection limit for low hazard analyses.

LM = Present, but lower than the detection limit for medium hazard analyses. P = The sample could not be cleaned up sufficiently to yield TCOO results.

NA = Not analyzed, sample could not be cleaned up sufficiently.

•		BORING/SAMPLE NUMBER Depth (in feet)									
	817B 24.0-26.0	B18A 22.0-24.0	B188 24.0-26.0	Blank 1	Blank 2						
di-n-butyl phthalate di-n-octyl phthalate diethyl phthalate benzo(a)anthracene benzo(b)fluoranthene benzo(b)fluoranthene chrysene anthracene benzo(ghi)perylene fluorene phenanthrene		LT 520 LT LT 640	LT		600 LT LT LT 560						
dibenzo(a,h)anthracene indeno(1,2,3-cd)pyrene pyrene aniline	51,000	LT 1700			800						
4-chloroaniline dibenzofuran 2-methylnaphthalene 3-nitroaniline benzene		960									

LT = Present, but lower than the detection limit for low hazard analyses.

LM = Present, but lower than the detection limit for medium hazard analyses.

P = The sample could not be cleaned up sufficiently to yield TCDD results.

NA = Not analyzed, sample could not be cleaned up sufficiently.

LT = Present, but lower than the detection limit for low hazard analyses.

LM = Present, but lower than the detection limit for medium hazard analyses.

P = The sample could not be cleaned up sufficiently to yield TCDD results.

NA = Not analyzed, sample could not be cleaned up sufficiently.

Samples which contained the highest concentrations of a particular contaminant include B14A (fifteen), B11A (six), and B4B (five). Sample B4B also contain the highest (3.31 ppb) concentration of TCDD.

A review of sample blanks shows blank 2 with contamination detected. Since this blank was collected in a parking lot where tar and petroleum contaminants were present, this data does not affect the data set. TCDD spikes showed reasonable results.

DISCUSSION

Of the 112 organic compounds analyzed from the U.S. EPA priority pollutant list, 63 have been confirmed to exist in the soil under S/SL. Samples with high concentrations of halogenated organic chemicals, such as chlorophenol and chlorobenzenes, found with high concentrations of polychlorinated biphenyls are particularly interesting. Studies have shown that uncontrolled burning (which was the subject of many site inspection reports during operation) of these substances leads to the formation of polychlorinated dibenzo-p-dioxin and similar polychlorinated dibenzofuran classes. Therefore, it is not surprising that two samples, B4B and B8B, did contain low concentrations of TCDD. It is also quite likely that samples B14A and B14B, which contained high concentrations of halogenated compounds, would have also yielded measurable TCDD results, but the samples could not be cleaned up enough in the laboratory to yield results.


Though TCDD was quantified in two samples close to the Sauget/
Toxic Landfill, contamination by organic compounds is generally spread evenly throughout the soils under the landfill. Both times TCDD was found in soils, it was the lower of two samples taken. This is most likely due to a physical washing of the compound downward by percolation of precipitation infiltration. Infiltration of precipitation through the cover of the landfill is on the order of 8,400,000 gallons/year (this is suming an area of contamination of 450,000 sq./ft. and approximatel 30 inches of precipitation infiltrating a year). This mean that 8,400,000 gallons of undetermined quality leachate is formed each year and recharges the Henry Formation aquifer. Due to their densities upon reaching the aquifer, organic compounds could be expected to descend and possibly contaminating lower bedrock aqui ers.

RI ERENCES

Bergstrom, R. E., and T. F. Walker 1956. Groundwater Geology of the East St. Louis Area, 1 linois, ISGS, Report of Investigation - 191, P. 44.

St. John, R. B., A. Prelim mary Hydrogeologic Investigation in the Northern Portion of Dend Creek and Vicinity. IEPA, p. 102.

Shelton, 1982. Aerial Phc:ographic Analyses of Hazardous Waste Disposal Sites in Illinois United States Environmental Protection Agency, p. 49.



DRIL	LING LO	G	Page 1 of 2				
State Illinois Site Sauget/Sauget Landfill Boring No. B-1 Drilling Firm Canonie Construction Type of Drill CME 75 Driller Herchle Boyd Geologist Ron St. John			Co Gr Gr	mpletio ound El id Loca	n Date	*	
				Blow	Sample		Well
Elev.	Depth	Description		Count	No.	Remarks	Const.
	1	Ground Surf	ace				
	1 2 3 4 5 6 7 8 9	Cinder Fill, blank w/wood c Refuse Cahokia Alluvium	hips				

State Illinois Boring No. B-1, 250W/50

Site Sauget/Sauget Landfill Page 2 of 2

Elev.	Depth	Description	Blow Count	Sample No.		Well Const.
	11_	Cahokia Alluvium, gray, fine to medium grained sand, micaceous		B1A		· 学套:
	12_	,				
	13_				•	***
Ċ,	14_					,
	15_		ļ		·	
	16				H ₂ 0 @ 17.0'	
	17_			BIB		
	18_	<u>Cahokia Alluvium</u> , very fine grained sand	į			
	19_					
	20					
	22_					
	23_		<u> </u>			
	24					
	25_					į
	26					
	27_					
	28_					
	29_	·				
	30 -					

DRILLING LOG	Page 1 of 2
State Illinois	Start Date 7/13/83
Site Sauget/Sauget Landfill	Completion Date 7/13/83
Boring No. B-2	Ground E1.
Drilling Firm Canonie Construction	Grid Location 85W/50
Type of Drill <u>CME 75</u>	Total Depth of Boring 19.0'
Driller Herchle Boyd	
Geologist Ron St. John	

Elev.	Depth	Description	Blow Count	Sample No.	Remarks	Well Const.
	_					
	_					
	-	Ground Surface				
	1_					
	2_	Cinder Fill, black				
	3_					
	4_					į
	5_	Refuse				
	6	·				
	7_					
	8_					
	9_					
	-					ĺ

Site Sauget/Sauget Landfill Elev. Depth Description	P	age2	o.f. 2	
	· 大学		of 2	
Interview population of the property of the pr	Blow Count	Sample No.	Remarks	Well Const.
Refuse 11 12 13 Cahokia Alluvium, fine grained sand, micaceous 15 16 17 Cahokia Alluvium, fine grained sand, micaceous 19 20 21 22 23 24 25 26 27 28 29		B2A	Remarks	Const.

11/13/81

State Illinois Boring No. B-3, 140W/250

Site Sauget/Sauget Landfill Page 2 of 2

			Blow Count	Sample		Well
Elev.	Depth	Description	Count	No.	Remarks	Const.
	11_	Cahokia Alluvium, black, clayey silt		ВЗА		
	12_					
	13_					
	14_	<u>Cahokia Alluvium</u> , gray, silt				
	15_			взв		
	16	ı				
	17_					
	18_					
	19_					
	20_					
	21_					
	22_					
	23_					
	24_					
	25_					
	26_					
	27					
	28					
	29					
	30					

DRIL	LING LOG	i	Page <u>1</u> of <u>2</u>				
Site Sauget/Sauget Landfill Construction Con		round El	n Date .	/83 7/13/83 260W/250 oring15.5'			
Elev.	Depth	Description	Blow Count	Sample No.	Remarks	Well Const.	
		Ground Surface			·		
	1	Cinder Fill, blank Refuse					

State Illinois Boring No. B-4, 260W/250

Site Sauget/Sauget Landfill Page 2 of 2

Elev.	Depth	Description	Blow Count	Sample No.	Remarks	Well Const
	11_	Cahokia Alluvium, gray, clayey silt, micaceous		B4A		
	12_		!			
	13_					
	14_	Cahokia Alluvium, orav, fine				
	15_	Cahokia Alluvium, gray, fine grained sand, micaceous		B4B		
	16					
	17_					
	18_					
	19_					
	20_					
	21_					
	22_					
	23_					
	24_					
	25_					
	26_					
	27_					
	28_					
	29					
	30					

DRIL	LING LOG	3	Page 1 of 2					
Stat	e <u>Illir</u>	no1s St	art Dat	e <u>7/14</u>	/83			
Site	Sauge	et/Sauget Landfill Co	Completion Date 7/14/83					
Bori	ng No	B-5 Gr	Ground El.					
Dril	ling Fir	rm <u>Canonie Construction</u> Gr	Grid Location 250W/475					
Type of Drill CME 75			tal Dep	th of B	oring <u>19.0'</u>			
Dril	Driller Herchle Boyd							
Geologist Ron St. John								
Elev.	Depth	Description	Blow Count	Sample No.		Well Const.		
	_							
		Ground Surface						
	1				·			
	2	Cinder Fill, black						
	3							
	4							
	5							
		Refuse			·			
	7							
	8							
	9 -							
			[

	e <u>III</u>		Boring No. <u>B-5, 250W/475</u>				
Site	Sau	get/Sauget Landfill	F	age2	of <u>2</u>		
*	A	·					
Elev.	ツ袋 Depth	Description	Blow Count	Sample No.	Remarks	Well Const.	
	* 11_	Refuse, wood chip and debris				<u> </u>	
•	12_		<u> </u>		•		
	13						
	14						
	15	Cahokia Alluvium, light brown, silty, sand		B5A			
	16_						
	17						
	18	Cahokia Alluvium, brown to black, silty, very fine grained		B5B	oily appearance		
	19	sand					
	20 -						
	21 -				·		
	22						
	23						
	24_						
	25_						
	26_						
	27_						
	28_						
	29_	× .					
	30						

DRIL	LING LOG	(m.,	Page <u>1</u> of <u>2</u>					
	e <u>Illin</u>				e <u>7/14</u>			
		t/Sauget landfill	Completion Date 7/14/83					
Bori	ng No	B-6	Ground El.					
Dr11	Drilling Firm <u>Canonie Construction</u>			id Loca	tion	10W/600		
Type of Drill <u>CME 75</u>			To	tal Dep	th of B	oring <u>15.5'</u>		
Driller Herchle Boyd					,			
Geo 1	ogist <u>R</u> e	on St. John						
	 -			Blow	Sample		Well	
Elev.	Depth	Description		Count	No.	Remarks	Const.	
	-							
	7	Ground Surfa	ace					
	1							
	2 7	Cinder Fill, black						
			Ì					
	3_		i					
	4							
	5 7	Refuse						
	6		1					
	7	•						
	8_							
	9_							
							1 1	

Stat	e <u>Ill</u>	inois	E	loring N	o. <u>B-6, 10W/60</u>	00	
Site	Sau	get/Sauget Landfill	Page 2 of 2				
ļ	<u> </u>		Blow	Campia		Well	
Elev.	Depth	Description	Count		Remarks	Const.	
	11 12 -	Cahokia Alluvium, brown, clayey, silty, fine grained sand		B6A			
	13_	orrog, time gramme same		1 (2.5) 1 (2.5)			
	14 15	Cahokia Alluvium, dark brown, very fine grained sand		В6В			
	16						
	17 18						
	19						
	20 21	·			·		
	22_						
	23_ ⁻ 24_ ⁻						
	25_						
	26 27						
	28_						
	29 30 _						

DRILLING LOG Page 1 of 2					2	
. 1,					/83	
Site	Saug				7/14/83	
Bori	ng No.	B-7 Gr	ound El	•		
Dril	Drilling Firm <u>Canonie Construction</u> <u>Grid Location</u> <u>103W/666</u>					
Туре	of Dri	Total Depth of Boring 15.5'				
Dril	riller <u>Herchle Boyd</u>					
Geol	ogist _	Ron St. John				
Elev.	Depth	Description	Blow Count	Sample No.	Remarks	Well Const.
	-					
	-					
	_					
	_	Ground Surface				
	1_					
	2	Cinder Fill, black		:		
	3					
	4					
	5					
	6	Refuse				
	7					
	8					
	9 -					
	3					

State_	Illinois	Boring No. B-7, 103W/666
Site _	Sauget/Sauget Landfill	Page <u>2</u> of <u>2</u>

Elev.	Depth	Description	Blow Count	Sample No.	Remarks	Well Const.
	11_	Cahokia Alluvium, brown to green sandy, silty, clay				
	12_	sandy, silty, clay		B7A		
	13_					
	14	Cahokia Alluvium, black, silty, very fine grained sand				
	15_	very time grained said		B7B		
	16					
	17_					
	18_					
	19					
	20_					
	21_					
	22_					
	23_					
	24					
	25_					
	26_					<u>.</u> [
	27_					
	28		:			
	29_					
	30 7					

DRIL	LING LO	G				Page <u>1</u> of <u>2</u>	
Stat	e <u>Illi</u>	nots	s St	art Dat	e <u>7/14</u>	/83	
Site	Saug	et/Sauget Landfill				7/14/83	r
Bori	Boring No. B-8		Gr	ound E1	•		
Dril	ling Fi	rm <u>Canonie Construction</u>	Gr	id Loca	tion	205W/795 · 🔞	-
Туре	of Dri	11 CME 75	То	tal Dep	th of B	oring 19.5	
Dril	ler	Herchle Boyd	_	•		The state of the s	
Geol	ogist	Ron St. John	_			,	
			_				•
Elev.	Depth	Description		Blow Count	Sample No.	Remarks	Well Const.
	_						
•	_						
	_		_				
		Ground Sur	face	·			
	1_					_	
	2_	<u>Cinder Fill</u> , black					
	3_						
	4_						
	5						
		Refuse					

State Illinois Boring No. B-8, 205W/795

Site Sauget/Sauget Landfill Page 2 of 2

Elev.	Depth	Description	Blow Count	Sample No.	Remarks	Well Const.
	11_	Refuse				
	12_				•	
	13_					
	14	Cahokia Alluvium, gray, silty, very fine grained sand				
	15_	very rine grained said		B8A		
;	16_					
	17_					
	18_	Cahokia Alluvium, green, silty, very fine grained sand, w/trace	1	B8B		
	19	clay				
	20					
	21_					
	22_				·	
	23 <u> </u>					
	25					
	26					
ļ	27					
ļ	28				:	
i	29					
	30					

DRILLING LO	G	Page <u>1</u> of <u>2</u>				
State Illi Site Saug Boring No. Drilling Fi Type of Dri Driller	et/Sauget Landfill Co B-9 Gr rm Canonie Construction Gr	Completion Date 7/2 Ground El. Onie Construction Grid Location 1501 75 Total Depth of Borid Boyd				
Elev. Depth	Description Ground Surface	Blow Count	Sample No.	Remarks	Well Const.	
1 - 2 - 3 - 4 - 5 - 6 - 7 - 8 - 9	Cinder Fill, black Refuse					

State Illinois Boring No. B-9, 150W/950Sauget/Sauget Landfill ** Site Page , of 2 Blow Well Sample Elev. Count No. Remarks Const. Depth 11 Refuse, cinder, wood chips 12 13 14 Refuse Cahokia Alluvium, black to gray, B9A silty, very fine to fine grained 16 sand 17 Cahokia Alluvium, green, silty, very fine grained sand, w/trace 18 B9B 19 clay 20 21 22 23 24 25 26 27 28 29 30

						
DRIL	LING LO	G	de esta de presidente		Page <u>1</u> of _:	2
Stat	e <u> </u>	nois	Start De	7/1	5/83	
		et/Sauget Landfill	Complet		7/15/83	
Bori	ng No.	B-10	Ground E	1.	Age Sec.	
	,	rm Canonie Construction	Grid Loc	ation _	35W/940 ⁻	
Туре	of Dri	11 CME 75	Total De	pth of I	Boring 21.5'	
		Herchle Boyd		4.44		İ
		Ron St. John	e general			
	_	ì				
Elev.	Depth	Description	Blow Count	Sample No.	Remarks	Well Const.
	_		[
	_					
	_					
		Ground Surf	ace			
	1_					
	2	Cinder Fill, black		3.		
	3 -					
	4-					
	5					
		Refuse				
	6					
	7_	·			•	
	8_					
	9_					

State Illinois Boring No. B-10, 35W/940 Sauget/Sauget Landfill of Site Blow Sample Description Const. Elev. Depth Count No. 11 12 13 14 15 B10A Refuse, cinders 16 17 18 Cahokia Alluvium, gray, fine grained sand Blob 19 Cahokia Alluvium, gray, fine grained sand 20_ 21_ 22 23 24 25_ 26 27 28 29 30

11/13/81

DRIL	LING LO	G				Page <u>1</u> of <u>2</u>	
Site Bori Dril Type Dril	Saug ng No. ling Fi of Dri ler	et/Sauget Landfill B-11 rm Canonie Construction 11 CME 75 Herchle Boyd Ron St. John	Completion Date 7/18/83 Ground El.				
Elev.	Depth	Description Ground Surfa	Coun		Sample No.	Remarks	Well Const.
	1 2 3 4 5 6 7 8 9 9	Cinder Fill, black Refuse					

Land Company			* :	•		·	50
Sau			A CONTROL OF SECURE	eggyadaya a	age <u>2</u>	of _2	
の認 能 Depth	7.5	Description	¥\$	Blow Count	Sample No.	Remarks	Well Const.
11_			•	*	·		
12_				,			
13_							
14_	Refuse						
15_							
	Dofuso				D114		
		Thurium browni	sh red		DIIA		
	silty, cl	ay w/trace grav	el siltv.		R11R		
	clayey, v	ery fine graine	d sand				
22							
23_							
24_							
25_							
26							
27							
1							}
	Depth 11 12 13 14 15 16 17 20 21 22 25 26 26 26 26 26 26	Sauget/Sauget Depth 11	Depth Description 11 12 13 14 Refuse 15 16 17 18 Refuse 19 Cahokia Alluvium, brownisilty, clay w/trace grav Cahokia Alluvium, brown, clayey, very fine graine 21 22 23 24 25 26 27 28 29	Sauget/Sauget Landfill Depth Description 11	Sauget/Sauget Landfill Depth Description Blow Count 11	Sauget/Sauget Landfill Page 2 Depth Description Blow Count No. 11	Page 2 of 2

						
DRIL	LING LO	The same of the sa			Page 1 of 2	
State Site Bori Dril Type	s Saug ng No. ling Fi of Dri	et/Sauget Landfill G B-12 G rm Canonie Construction G	ompletion round El	on Date	/83 7/18/83 245W/1150 Foring 21.0'	
	.		Blow	Sample		Well
Elev.	Depth	Description	Count	No.	Remarks	Const.
	11111	Ground Surface				
ı	1_ 2_	Cinder Fill, black				
	3_					
	4-					
	5_	Refuse				
	6_					
	7_					
	8 -	·				
	9					
	3					

Stat	e Ill	inois		Boring N	lo. B-12		
Site		get/Sauget Landfill	Page 2. of 2				
Elev.	Depth	Description	Blow Count	Sample No.	Remarks	Well Const.	
-	11_			THE STATE OF			
	12_	Refuse					
	13_		,				
	14_		 				
	15_				Table Bayer Bayer		
	16_						
	17_	Cahokia Alluvium, gray, silty, very fine grained sand	1				
	18_	very fine grained sand		B12A		: : !	
	19						
	20	Cahokia Alluvium, brown, silty, clayey, very fine grained sand		B12B			
	21_		ļ				
	22			,			
	23 <u> </u>			·		!	
	25_	•					
	26_						
	27_						
	28_						
	29_	·					
	30						

11/13/81

LING LO	G	Page <u>1</u> o					
e <u> </u>	nots — War	Start Dat	e <u>7/19</u>	/83	7.45		
Saug	et/Sauget landfill	Completio	n Date_	7/19/83			
	Vertex.	1		. '			
lling Firm <u>Canonie Construction</u> Grid Location <u>140W/1350</u>							
of Dri	11 CME 75						
		·		-			
· · · · · · · · · · · · · · · · · · ·					196 47		
Depth	Description	Blow Count	Sample No.	Remarks	Well Const.		
_							
_							
1 1	Ground Surfac	ce					
1_							
2	Cinder Fill, black						
3					1		
4							
5							
6	Refuse						
7							
8							
9							
	e	Ing Firm Canonie Construction of Drill CME 75 ler Herchle Boyd ogist Ron St. John Depth Description Ground Surface 1 Cinder Fill, black 3 Refuse 6 Refuse 7 8	e Illinois Start Dat Sauget/Sauget landfill Completion ng No. B-13 Ground El ling Firm Canonie Construction Grid Loca of Drill CME 75 Total Dep ler Herchle Boyd ogist Ron St. John Depth Description Grount Ground Surface 1 Cinder Fill, black 3 Refuse 6 Refuse 7 8	E Illinois Start Date 7/19 Sauget/Sauget landfill Completion Date Ing No. B-13 Ground El. Ing Firm Canonie Construction Grid Location of Drill CME 75 Total Depth of Butter Herchle Boyd ogist Ron St. John Depth Description Count No. Ground Surface 1 Cinder Fill, black 3 4 5 Refuse 6 7 8 Refuse 6 7 8 8	Start Date 7/19/83 Sauget/Sauget landfill Completion Date 7/19/83 Ground El.		

State Illinois Boring No. B-13, 140W/1350

Site Sauget/Sauget Landfill Page 2 of 2

Elev.) Depth	Description	Blow Count	Sample No.	Remarks	Well Const.
	11_			·	_	
	12_	`			·	
	13_	Refuse				
	14					
	15					
	16					
	17 18 ¬	Cababia Alluvium anav vanv		B13A		
	19_	Cahokia Alluvium, gray, very fine grained sand		D134		
	20	Cahokia Alluvium, gray, very fine grained sand		B13B		
	21_	fine grained sand				
	22_					
	23_					
	24					
	25					
	26					
	27_					
	28_					
	29 30					

								
DRIL	LING LO	G To the second			Page <u>1</u> of <u>2</u>			
Stat	e Illi	note	Start Dat	e 7/19	/83			
3	Sir Print	AND THE SHAPE SHAPE AND ASSESSMENT	7/10/02 000000000000000000000000000000000					
		A STATE OF THE STA	white to the					
	4, 45.8	- Carlotte	Ground E1	•				
Dril	ling Fi	rm <u>Canonie Construction</u>	Grid Loca	tion	20W/1350			
Туре	of Dri	11 CME 75	Total Dep	th of B	oring <u>21.0'</u>			
	ler	Herchie Boyd						
Geol	ogist	Ron St. John						
	ings . . N							
Elev.	Depth	Description	Blow Count	Sample No.	Remarks	Well Const.		
	7	to to						
	1							
_	1	•						
		Ground Surface						
	1_			1				
	2_	Cinder Fill, black						
	3_	. 4.						
	4		_					
	5		_			<u> </u>		
	6	Refuse						
	, ,	101 100						
	' -							
	8_							
	9_							

j.

State Illinois Boring No. B-14, 20W/1350 Sauget/Sauget Landfill Page __ Site 2 of 2 Well Sample Description Elev. Depth Count No. Remarks Const. 12 13 -Refuse 14 15 16 17 May have punc-tured and sampled 18 **B14A** Muck, black the contents of a 19 pail. Cahokia Alluvium, black, mucky, very fine grained sand 20 -**B14B** 21_ 22 23 2030 24 25 26 27 28 29 30

					·	
DRIL	LING LO	OG , , , , , , , , , , , , , , , , , , ,			Page 1 of 2	
Stat	e <u>1111</u>	nois	Start Dat	7/19	/83	
12.	* *	et/Sauget Landfill	Completio	n Date	7/19/83	
Bori	ng No.	B-15	Ground El	•		. •
		rm Canonie Construction				
Туре	of Dri	11 CME 75	Total Dep	th of B	oring <u>26.0</u>	
Dril	1er	Herchle Boyd				
Geol	ogist _	Ron St. John				
Elev.	Depth	Description	Blow Count	Sample No.	Remarks	Well Const.
	-	Ground Surface				
	1 - 3 - 4 - 5 - 6 - 7 - 8 - 9 - 1	Cinder Fill, black Refuse				

State <u>Illinois</u>

Boring No. <u>B-15, 20W/1500</u>

Site Sauget/Sauget Landfill

Page 2 of 2

Elev.	Depth	Description	Blow Count	Sample No.	Remarks	Well Const.
	11_				Supplemental of the second of	
	12_				•	
	13_					
	14_					
	15_					
	16_					
	17_					
	18_	Refuse				
	19_			-	•	
	20_	Refuse				
	21_					
	22	Cahokia Alluvium, black to gray, fine grained sand		B15A		
	24	The granied said		BISA		
	25	Cahokia Alluvium. black to grav.		B15B		
	26	Cahokia Alluvium, black to gray, fine grained sand				į
	27_					
	28_					
	29_	·				
	30					

DRIL	LING LO	3			Page 1 of	2
Site	Sauge	et/Sauget Landfill B-16	Start Dat Completic Ground El	n Date _	7/19/83	Coart sy a t
Dril Type	Ting Fi	cm Canonie Construction CME 75	Grid Loca	ition		
Dril	1er <u> </u>	Ron St. John				
Elev.	Depth	Description	Blow Count	Sample No.	Remarks	Well Const.
`	-	Ground Surfa	ce		·	
	1	Cinder Fill, black Refuse				

Illinois Boring No. B-16, 120W/1500 of Blow Well Sample Depth Remarks Const. Elev. Description Count No. 12 13 14 15 16 17 Refuse 18 19 20 21 H₂0 @ 22.0' 22 Cahokia Alluvium, black to gray, silty, clayey, very fine grained 23 B16A 24 sand 25 No further sampling was performed since it would 26 have been below 27 the H₂O table 28 29 30

DRIL	LING LOG		ig ing		Page 1 of 2	
Site Bori Dril Type Dril	ing No ling Firm of Drill lerHe	/Sauget Landfill C B-17 G Canonie Construction G	round El	n Date	7/20/83 140W/1750 oring	
	 		Blow	Sample		Well
Elev.	Depth	Description	Count	No.	Remarks	Const.
		Ground Surface			م العربي ا	
	3 4 5	efuse		Entranger	Oil was encoun- tered from 6.0' to 13.0'.	

11/13/81

State Illinois Boring No. B-17, 140W/1750 Sauget/Sauget Landfill ----Site Blow Sample Depth Description Elev. Count No. Remarks 11 12 13 14 15 16 17 Refuse 18 19 20 21 22 Cahokia Alluvium, black to gray, silty, clayey, fine grained sand 23 **B17A** 24 25_ Cahokia Alluvium, black to gray, silty, clayey, very fine grained **B17B** 26 sand 27_ 28 29 30

	LING LO	G	na . Nativo	•	<u> </u>		Page <u>1</u> of <u>2</u>	
State Site Borir Drill Type Drill	Saug No. ling Fi of Dri	et/Sauget La B-18 rm Canonie	Construction	Start Date 7/20/83 Completion Date 7/20/83 Ground E1. Grid Location 35W/1760 Total Depth of Boring 26.0'				
	Depth		Description		Blow Count	Sample No.	Remarks	Well Const.
	11111		Ground Surfa	ice				
	1 2 3 4 5 6 7 8 9	Cinder Fill Refuse	, black					

Stat	e <u>Ill</u> Sau	inois get/Sauge	Landfill 4			oring N	o. <u>B-18, 35W/</u>	1760
					Blow	Sample	A CONTRACTOR	Well
Elev.	Depth		Description :		Count	No.	Remarks	Const
•	11_			•			•	
	12_	4.4						
	13_					·		
	14							
	15_						·	-
	16_							·
	17_		Y → 					
	18_	Refuse						
	19_) .					
	20_							
	21_		√					
	22_	4						
	23_	Cahokia /	lluvium, gray, fine grained san	very		B18A		
	24_	i ille co	The grained san	ď				
	25_	Cahokia A	lluvium, gray, fine grained san	very		B18B		
	26_	11116 60 1	ine grained san	J				
	27_		·					
	28_							
	29_							
	30			,				

11/13/81



APPENDIX II - MAGNETOMETERS

APPENDIX

MAGNETOMETERS

Magnetic field measurements can be used to locate buried ferromagnetic objects such as steel containers or drums, scrap iron and tools. This method is based on the fact that an induced magnetism is produced in any magnetic material within the earth's magnetic field and, if sufficiently large, can be detected as an anomaly in the ambient field. Search magnetometers respond to changes in the earth's magnetic field caused by ferrous metals. Non-ferrous metals do not produce a magnetic response.

The primary factors which influence the response of a magnetometer system are the mass of an iron or steel object and its distance from the sensor. The following list points out the variables which influence the size of a magnetic anomaly:

- 1) Target mass
- 2) Target to sensor distance
- 3) Target material and degree of degradation
- 4) Target geometry (primarily length to diameter ratio)
- 5) Target orientation
- 6) Amount and orientation of permanent magnetism in the target.

Technos utilizes a variety of magnetometers to accomplish various survey objectives. Both total field and gradiometer search magnetometers are available. Proton and cesium systems are used for total field work; fluxgate and cesium gradiometer systems are used for detailed search work. The system

commonly used by Technos for most search work is a fluxgate gradiometer built by Technos. This system permits continuous coverage along a line, as opposed to periodic sampling or station measurements obtained with other types of magnetometers. The gradiometer system also permits operation in areas in which a total field instrument will fall to function because of nearby metal fences, pipes and cables. This capability of the gradiometer system is possible since the sensor head used minimizes the presence of horizontal targets such as a steel fence while maintaining full vertical sensitivity for discrete targets below. This system can be carried by hand or can be mounted to a vehicle for covering larger areas.

The basic sensor sensitivity of the Technos gradiometer is one gamma with a system response of .58 gammas per foot over a two-foot vertical gradient. The response of the gradiometer generally fails off as one over the distance to the fourth power for discrete targets.

A secondary (less sensitive) magnetometer is used as a reconnaissance tool to sort out shallow and deeper targets when the instrument is used in combination with a metal detector and other magnetometers. This unit also is a fluxgate gradiometer and is manufactured by the Schonstedt Instrument Company. Its sensitivity is approximately an order of magnitude less than the Technos magnetometer with a gradient of approximately twenty inches, yielding an overall best system sensitivity of ten gammas per foot.